OFFICE OF THE DIRECTOR OF HEALTH AND FAMILY PLANNING SERVICES, BANGALORE.

No. STR. 1853/70-71 dated 5th/6th January 1971.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY, 14TH NOVEMBER 1970.

(*1*) *Plague.*—The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1968 and 1969 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

(*2*) *Smallpox.*—The State remained free from Smallpox during the week under report. Comparative figures for the corresponding week were nil attacks with nil deaths. However a preventive measure 3204 vaccinations have been done.

(*3*) *Cholera.*—The State remained free from Cholera during the week under report. Comparative figuares for the corresponding week were nil attacks with nil deaths. However as a preventive measure 168 anti-Cholera inoculations have been done.

(*4*) *K. E. Diaseases.*—A total of 12 attacks with nil deaths from K. F. Disease was reported from Shimoga District, as against nil attacks with nil deaths reported during the corresponding week of the previous year.

5 (a) *Yellow Fever, Relapsing Fever, Infectious Hepatitis and Influenza.*—The State remained free from Yellow fewer Relapsing fever and Influnza in epidemic form as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(b) 5 cases with nil deaths from Infectious Hepatitis have been reported from Military Hospital, Bangalore, during the week under report as against 9 attacks with nil deaths reported during the corresponding week of the previous year.

(c) *Dengue and Haemorrahagic Fever:* — The State remained free from Dengue and Haemorrhagic fever during the week as in the corresponding week of the last year.

6 City and Corporation.—The total mortality for Bangalore City Corporation amounted to 295 (143 in Hospitals) for the week, as against 256 (116 in hospitals) during the corrponding week of the previous year, giving a calcuated death rate of 14.7 (7.5 excluding hospital deaths) per mille of populations (mid-year estimated) as against 12.9 (7.0 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 12 were due to dysentry and diarrhoea, 10 due to consumption and 273 due to all other causes, as against 15 were due to dysentery and diarrhoea, 20 due to consumption and 221 due to all other causes, reported during the corresponding week of the previous year

The total mortality for Mysore City amounted to 69 (60 in hospitals) for the week as against 53 (34 in hospitals) during the corresponding week of the previous year, giving a calaculated death rate of 13.6 (1.7 excluding hospital deaths) per mille of population (mid-year estimated) as against 10.3 (3.5 excluding hospital deaths for the corresponding week of the last year. Classified according to causes of deaths, 8 were due to other fevers, one due to dysentery and diarrhoea, 6 due to consumption and 54 due to all other causes, as against 5 due to other fevers, and 47 due to all other causes reported during the corresponding week of the previous year.

The report of K. G. F. City has not been received.

The total mortality of Belgaum City amounted to 23 (16 in hospitals) for the week as against 39 (32 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.6 (2.0 excluding hospital deaths) per mille of population (mid-year estimated) as against 12.9 (2.3 excluding hospital deaths) for the corresponding week of the past year. Classified according to causes of deaths, 2 were due to all other fevers, and 21 were due to all other causes as against 2 were due to dysentary and diarrhoea, and 37 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 33 (27 in hospitals) for the week as against 16 (11 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 9.9 (1.8 excluding hospital deaths) per mille of population (mid-year estimated) as against 4.9 (1.5 excluding hospital deaths) for the corresponding week of the past year. Classified according to causes of deaths, 7 were due to consumption and 26 due to all other causes, as against one was due to dysentery and diarrhoea, one due to consumption and 14 due to all other causes reported during the corresponding week of the previous year.

.....,

85 For *Director.*

Printed by the Director of Printing, Sty. & Publications at the Govt. Press, B'lore

Reg. No. B.G. 202

The Mysore Gazette

PUBLISHED BY AUTHORITY

Vol. 106 | BANGALORE THURSDAY, FEBRUARY 4, 1971 (MAGHA 15, SAKA ERA 1892) | No. 5

PART V

SEASON REPORT, STATEMENT OF PRICES CURRENT, ETC.

PART IV—WEATHER AND CROP REPORT—MODEL-FORM D 1.

OFFICE OF THE DIRECTOR, BUREAU OF ECONOMICS AND STATISTICS, MYSORE, BANGALORE.

Statement showing the Cotton Pressed in Bales in all the Factories of Mysore State for the week ending every Friday, 25th December 1970.

Under Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the adoption of the existing Indian Law and Order, 1957.

(Unit :—392 lbs. or 180 Kg./Bales)

Division with District	Variety (Trade description)	During the week		During the last year		Since 1-9-1970		During the same period in the last year	
		R Bales	S Bales	R Bales	S Bales	R Bales	S Bales	R Bales	S Bales
1	2	3	4	5	6	7	8	9	10
		For the week ending Friday, ...							
1 Old Mysore including Bellary District.	1 Jayadhar	...	...	...	—	1292	1249	39	39
	2 Lakshmi	149	149	...	...	3173	3173	419	419
	3 Kumta	...	...	...	...	...	...	...	...
	4 Miscellaneous	47	47	69	69	895	895	843	843
	Total	196	196	69	69	5360	5317	1301	1301
	Cotton Waste								
	For the week ending Friday, ...								
2 Hyderabad, Raichur, Gulbarga and Bidar Districts	1 Jayadhar	100	99	...	...	300	299	...	...
	2 Lakshmi	...	...	—	...	...	...	86	86
	3 Kumta	...	...	...	...		...	...	...
	4 Miscellaneous	...		...	...	250	250	740	740
	Total	100	99	...	...	550	549	826	826
	Cotton Waste								
	For the week ending Friday, ...								
3 Bombay, Belgaum, Dharwar and Bijapur districts.	1 Jayadhar	...	...	31	21	1438	1410	499	477
	2 Lakshmi	...	...	...	...	4145	4146	4423	4334
	3 Kumta	...	...	...	...	...	...	...	...
	4 Miscellaneous	356	356	965	886	11118	11090	6406	6289
	Total	356	356	996	907	16701	16646	11328	11100
	Cotton Waste	...	...	..	...	...	...	...	...
	Grand Total	552	552	1065	976	22611	22513	13455	13227

87

A. R. GOPALAKRISHNA,
For *Director*.

Statement showing the Cotton Pressed in Bales in all the Factories of Mysore State for the week ending Friday 18th December 1970.

Under Section 5 (2) of the Cotton Ginning and Pressing Factories Act, 1925, as adopted by the adoption of the existing Indian Law and Order, 1957.

(Unit:—392 lbs. or 180 Kg./Bales).

Division with District	Variety (Trade description)	During the week		During the last year		Since 1-9-1970		During the same period in the last year	
		R Bales	S Bales	R Bales	S Bales	R Bales	S Bales	R Bales	S Bales
1	2	3	4	5	6	7	8	9	10
	For the week ending Friday, ...								
1 Old Mysore including Bellary district.	1 Jayadhar	...	..	...	...	1292	1249	39	39
	2 Lakshmi	190	190	..	...	3024	3024	419	419
	3 Kumta	...	...	...	...	...	...	...	...
	4 Miscellaneous	118	118	...	...	848	848	774	774
	Total	308	308	...	...	5164	5121	1232	1232
	Cotton Waste								
	For the week ending Friday, ...								
2 Hyderabad, Raichur, Gulbarga and Bidar districts.	1 Jayadhar	...	...	...	...	300	209	...	...
	2 Lakshmi	...	...	...	...	...	...	86	86
	3 Kumta	...	...	...	...	...	...	...	...
	4 Misc.	...	...	...	...	250	250	740	740
	Total	...	...	...	...	550	549	826	826
	Cotton Waste								
	For the week ending Friday, ...								
3 Bombay, Belgaum, Dharwar and Bijapur Districts.	1 Jayadhar	...	...	...	...	1438	1410	468	456
	2 Lakshmi	...	...	100	100	4145	4146	4423	4334
	3 Kumta	...	...	...	...	...	...	...	...
	4 Misc.	815	787	317	317	10762	10734	5441	5403
	Total	815	787	417	417	16345	16290	10332	10193
	Cotton Waste	...	...	...	...	...	...	...	...
	GRAND TOTAL	1123	1095	417	417	22059	21960	12390	12251

88

A. R. GOPALAKRISHNA,
For *Director.*

OFFICE OF THE DIRECTOR OF HEALTH AND FAMILY PLANNING SERVICES, BANGALORE.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY 21ST NOVEMBER 1970.

1 *Plague.*—The State remained free from Plague during the week as in the previovs week. Comparative figures for the corresponding week during 1968 and 1969 were nil attacks with nil deaths and nil attacks with nil deaths respectively.

2 *Smallpox.*—A total of One attack with nil death from Smallpox was reported from the entire State, viz, from the taluk of Sindhanoor as against nil attacks with nil deaths reported during the corresponding week of the previous vear. As a preventive measure 4291 vaccinations have been done.

3 *Cholera.*—The State remained free from Cholera during the week under report. Comparative figures for the corresponding week were 38 attachks with 2 deaths. Howerer as a preventive measure 2225 anit-cholera innoculations have been done.

4 *K. F. Diseases.*—A total of 6 attacks with nil deaths from K. F. Disease was reported from Shimoga District, as against one attack with nil death reported during the corresponding week of the previous year.

5 (a) *Yellow Fever, Relapsing Fever, Infectious Hepatities and Influenza.*—The State remained free from Yellowfever, Relapsing fever and influenza in epidemic form as against nil attacks with nil deaths reported during the corresponding week of the previous year.

(b) 7 cases with nil deaths from Infectious hepatitis have been reported from K. M. C. Hospital, Hubli and District Hospital, Chikmagalur during the week under report as against 14 attacks with nil death reported during the corresponding week of the previous year.

c *Dengue and Haemorrahagic fever.*—The State remained free from Dengue and Haemorrhagic fever, during the week as in the corresponding week of the last year.

6 *City and Corporation.*—The total mortality for Bangalore City Corporation amounted to 224 (87 in hospitals for the week as against 436 (207 in hospital during the corresponding week of the previous year. giving a calculate death rate of 11. 1 (6. 8 excluding hospital deaths) per mille of poplulation (mid-year estimated) as against 22 0 (11.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes o deaths 13 were due to dysentery and diarrhoea, 6 due to consumption and 205 due to all other causes, as against 26 were due to dysentery and diarrhoea, 16 due to consumption and 395 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mysore City amounted to 82 (81 in hospitals)for the week, as against 66(41in hospitals) during the corresponding week of the previovs year giving a calculated death rate of 16.2 (0. 1 excluding hospital deaths) per mille of population (mid-year estimated) as against 13. 1 (5.0 excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths One was due to consumption and 81 due to all other causes as against 9 were due to other fevers, one due to dysentery and diarrhoea, 15 due to consumption, 41 due to all othar causes reported during the corresponding week of the previous year.

The reports of K. G. F. City has not bee received.

The total mortality of Belagaum City amounted to 28 (9 in hospitals) for the week as against 38 (16 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 8.0 (5.4 excluding hospital deaths) pere mille of population (mid year estimated) as against 12.6 (7.3 excluding hospital deaths) for the corresponding week for the past year. Classisied according to causes of deaths, one was due to Typhod, and 27 were due to all other causes as against one was due to other fevers, and 37 due to all other causes reported during the corresponding week of the previous year.

The total mortality of Mangalore City amounted to 20 (15 in hospitals) fore the week as against 43 (41 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 6.0 (1.4 excluding hospital deaths) per mille of population (mid-year estimated) as against 13.2 (0.6 excluding hospital deaths) for the corresponding week for the past year. Classified according to causes of deaths, 4 were due to consumption and 16 were due to all other causes as against 2 were due to Typhoid, one due to other fevers, one due to dysentery and diarrhoea. 5 due to consumption and 34 due to all other causes reported during the corresponding week of the previous year.

89

....

For Director.

Printed by the Director of Printing, Sty. & Publications at the Govt. Press, Bangalore